

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended): An information processing apparatus comprising:

first and second computer elements which execute the same instructions substantially simultaneously in substantial synchronism, and which have first and second memory elements, respectively, wherein said first and second memory store first and second data, respectively;

a monitor element which finds which of said computer elements is out of said synchronism;

~~a copy element which copies a part of the data stored in said second memory element to said first memory element when said monitor element finds that said first computer element is out of said synchronism; and~~

a third memory element which stores an address accessing a data word directed by a write access request at the time when said monitor element finds that said first computer element is out of said synchronism and thereafter; and information to designate which part of the data stored in said second memory element is copied by said copy element when said monitor element finds that said first computer element is out of said synchronism

a copy element which copies third data associated with said address or addresses out of said second data stored in said second memory to said first memory element when said monitor element finds that said first computer element is out of said synchronism.

2. (original): The information processing apparatus as claimed in claim 1, wherein said copy element is activated unless a permanent failure occurred in said first computer element

3. (original): The information processing apparatus as claimed in claim 1, wherein said monitor element finds that said first computer element is out of said synchronism based on the time in which it receives first signals from all of said computer modules.

4. (original): The information processing apparatus as claimed in claim 1, wherein said monitor element finds that said first computer element is out of said synchronism based on the time, commands and addresses of requests from all of said computer modules.

5 - 8 (canceled).

9. (currently amended): The information processing apparatus as claimed in claim 1, wherein said ~~information includes~~ third memory element stores an address or addresses which is directed when contents of a cache is written to said memory element.

10. (currently amended): The information processing apparatus as claimed in claim 1, wherein said ~~information~~ address indicates the location in said first memory which has possibility of inconsistency with said second memory.

11. (original): The information processing apparatus as claimed in claim 1, wherein said copy element copies said part of the data by utilizing a direct memory transmission.

12. (currently amended): An information processing apparatus comprising:

first and second computer elements which execute the same instructions substantially simultaneously in substantial synchronism, which have first and second memory elements, respectively, and each of which has at least one processor and a bus connected to said processor, wherein said first and second memory store first and second data, respectively;

a monitor element which is connected to said bus and which finds which of said computer elements is out of said synchronism;

~~a copy element which copies a part of the data stored in said second memory element to said first memory element when said monitor element finds that said first computer element is out of said synchronism; and~~

a third memory element which an address accessing a data word directed by a write access request at the time when said monitor element finds that said first computer element is out of said synchronism and thereafter; and ~~stores information to designate which part of the data stored in said second computer element is copied by said copy element when said monitor element finds that said first computer element is out of said synchronism~~

a copy element which copies third data associated with said address or addresses out of said second data stored in said second memory to said first memory element when said monitor element finds that said first computer element is out of said synchronism.

13. (currently amended): The information processing apparatus as claimed in claim ~~1~~12, wherein said copy element is activated unless a permanent failure occurred in said first computer element

14. (currently amended): The information processing apparatus as claimed in claim ~~1~~12, wherein said monitor element finds that said first computer element is out of said synchronism based on the time in which it receives first signals from all of said computer modules.

15. (currently amended): The information processing apparatus as claimed in claim ~~1~~12, wherein said monitor element finds that said first computer element is out of said synchronism based on the time, commands and addresses of requests from all of said computer modules.

16 - 19 (canceled).

20. (currently amended): The information processing apparatus as claimed in claim ~~1~~12, wherein said third memory element stores information ~~includes~~ an address or addresses which is directed when contents of a cache is written to said memory element.

21. (currently amended): The information processing apparatus as claimed in claim ~~11~~12, wherein said ~~address or addresses~~ information indicates the location in said first memory which has possibility of inconsistency with said second memory.

22. (currently amended): The information processing apparatus as claimed in claim ~~11~~12, wherein said copy element copies said ~~third data part of the data~~ third data by utilizing a direct memory transmission.

23. (new): The information processing apparatus according to claim 1, wherein said monitor element receives address strobes from said first computer element and said second computer element during the same cycle in order to determine whether said first computer element is out of said synchronism.

24. (new): The information processing apparatus according to claim 12, wherein said monitor element receives address strobes from said first computer element and said second computer element during the same cycle in order to determine whether said first computer element is out of said synchronism.